

# **Sacramento**

3065 Gold Camp Rd. Rancho Cordova, CA






# **Leading-Edge Datacenter Facility Sacramento**

### General

- In excess of 19,000 sq ft of raised floor
- 5.8 MVA of power into facility







#### **Sacramento**

3065 Gold Camp Rd. Santa Clara. CA

#### **BUILDING**

- One (1) story
- Built in 1984 and renovated in 2000
- Approximately 62,957 sq ft building, 49,648 sq ft rentable with 19,000 sq ft of raised floor
- Office Area: 10,800 sq ft
- Designed with several datacenters (DC) with varied UPS/PDU capacities per room:
  - DC 153: 8,400 sq ft with 545 kW
  - DC 132: 6,300 sq ft with 615 kW
  - o DC 151: 3,600 sq ft with 1,000 kW
  - DC 138: 1,000 sq ft with 45 kW

#### **FLOOD ZONE**

Outside 500 year flood plain

#### SEISMIC ZONE

Zone 3

#### **UTILITY POWER**

Two (2) 2500A/480V and two (2) 2000A/480V utility feeds from Sacramento Municipal Utility District

#### **UPS POWER**

 Multiple UPS modules for total of 2,160 kW of UPS power

#### **SECONDARY POWER**

- Two 1.2MW generators in parallel and two 1.6MW generators
- Space for additional tenant equipment if required

#### **COOLING**

 Three (3) 120 ton, one (1) 100 ton, one (1) 250 ton and two (2) 230 ton chillers

#### **ROOF**

Built-Up roofing system

#### **CLEAR HEIGHT**

 1<sup>ST</sup> floor 20 ft slab to roof parapet

#### **FLOOR LOADING**

• 1<sup>st</sup> floor: 250 lbs/ sq ft


# FIBER AND BUILDING ENTRY

 Diverse underground entry points to the building

#### **PARKING**

- Surface parking
- 181 spaces

# 3065 GOLD CAMP RD SITE PLAN | SACRAMENTO VALLEY



Contact: Bill Minkle, TelAxis Advisors, LLC bminkle@telaxis.com, 1-775-831-6500 www.digitalrealtytrust.com

